


10/500112

FIG.1




10/500112

FIG.2


(a) RNA SEQUENCE

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C | A | G | G | A | A | A | C | U | G | G | G | U | G | C | A | A | A | C | C |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

(b) SECONDARY STRUCTURE (STEM STRUCTURE)




(c) PARSE TREE



10/500112

3/23

FIG.3



10/500112

FIG.4





FIG.5



10/500112

FIG.6


GRAMMAR DATABASE 106b

| STRUCTURAL TOPOLOGY | GRAMMAR | | |
|------------------------|----------------------|-------------------------|-----------------------|
| | TERMINAL SYMBOL T | NONTERMINAL SYMBOL N | PRODUCTION RULES P |
| PSEUDOKNOTS | {A,T,G,C} | N ₁ | P ₁ |
| HAIRPIN LOOP | | N ₂ | P ₂ |
| INTERNAL LOOP | | N ₃ | P ₃ |
| MULTI-BRANCHED LOOP | | N ₄ | P ₄ |
| BULGE LOOP | | N ₅ | P ₅ |
| : | | : | : |

10/500112

7/23

FIG. 7



10/500112

8/23

FIG.8






FIG.9



10/500112

10/23

FIG. 10



10/500112

11/23

FIG.11




FIG. 12





FIG. 13

(EXAMPLES OF RNA SECONDARY STRUCTURE TOPOLOGY)




10/500112

14/23

FIG.14

(PARSE TREES AND SECONDARY STRUCTURES OF S₁)



10/500112

15/23

FIG. 15

(FREE ENERGIES OF BASE PAIRS [kcal/mol])

| 3'-SIDE BASE PAIR | 5'-SIDE BASE PAIR | | | | |
|----------------------|-------------------|------|------|------|------|
| | gu | au | ua | cg | gc |
| gu | -0.5 | -0.5 | -0.7 | -1.5 | -1.3 |
| au | -0.5 | -0.9 | -1.1 | -1.8 | -2.3 |
| ua | -0.7 | -0.9 | -0.9 | -1.7 | -2.1 |
| cg | -1.9 | -2.1 | -2.3 | -2.9 | -3.4 |
| gc | -1.5 | -1.7 | -1.8 | -2.0 | -2.9 |

10/500112

16/23

FIG. 16
(FREE ENERGIES OF LOOPS [kcal/mol])


| LOOP TYPE | LOOP SIZE | | | | | | | | | | | | |
|---------------|-----------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 | 14 | 16 |
| BULGE LOOP | 3.3 | 5.2 | 6.0 | 6.7 | 7.4 | 8.2 | 9.1 | 10.0 | 10.5 | 11.0 | 11.8 | 12.5 | 13.0 |
| HAIRPIN LOOP | - | - | 7.4 | 5.9 | 4.4 | 4.3 | 4.1 | 4.1 | 4.2 | 4.3 | 4.9 | 5.6 | 6.1 |
| INTERNAL LOOP | - | 0.8 | 1.3 | 1.7 | 2.1 | 2.5 | 2.6 | 2.8 | 3.1 | 3.6 | 4.4 | 5.1 | 5.6 |

101500112


17/23

FIG. 17

(OPTIMUM PARSE TREES AND SECONDARY STRUCTURES OF S₂)



(1) DERIVATION BASED ON G₁



(2) DERIVATION BASED ON G₂

10/500112

18/23

FIG. 18

| RANKING | TOPOLOGY | GOODNESS OF FIT | SECONDARY STRUCTURE |
|---------|--|-----------------|---|
| 1 | STEM LOOP T ₁ | 13.7 | SECONDARY STRUCTURE ILLUSTRATED IN Fig. 18(1) |
| 2 | DOUBLE-PARALLEL-STEM LOOP T ₂ | 6.7 | SECONDARY STRUCTURE ILLUSTRATED IN Fig. 18(2) |

10/500112

19/23

FIG. 19

| SEQUENCE | GOODNESS OF FIT | SECONDARY STRUCTURE |
|----------------|-----------------|--|
| s ₂ | 6.7 | SECONDARY STRUCTURE ILLUSTRATED IN Fig. 18(2) |

Title: RNA SEQUENCE ANALYZER, AND RNA
SEQUENCE ANALYSIS METHOD, PROGRAM
AND RECORDING MEDIUM
Inventor(s): Yasuo UEMURA et al.
DOCKET NO.: 028567-0133

10/500112

20/25

FIG.20


| | T ₁ | T ₂ |
|----------------|----------------|----------------|
| s ₁ | 1.4 | - |
| s ₂ | 13.6 | 6.7 |

10/500112

21725

FIG.21

(OPTIMUM SECONDARY STRUCTURE OF s)



(1)

(2)

Title: RNA SEQUENCE ANALYZER, AND RNA
SEQUENCE ANALYSIS METHOD, PROGRAM
AND RECORDING MEDIUM
Inventor(s): Yasuo UEMURA et al.
DOCKET NO.: 028567-0133

10/500112

FIG.22

| | T ₁ | T ₂ |
|---|----------------|----------------|
| s | - | 5.1 |

10/500112

23/23

FIG.23

| SEQUENCE | GOODNESS OF FIT | TOPOLOGY(SCORE) |
|----------|-----------------|-----------------|
| s_2 | 6.7 | $T_2(5.1)$ |